

U.S. Department of Agriculture Animal and Plant Health Inspection Service Wildlife Services


Historic document – Content may not reflect current scientific research, policies or practices.



Blank Page Digitally Inserted

# WOODCOCK STATUS REPORT 1961





UNITED STATES DEPARTMENT OF THE INTERIOR
FISH AND WILDLIFE SERVICE
BUREAU OF SPORT FISHERIES AND WILDLIFE

Special Scientific Report--Wildlife No. 58



Blank Page Digitally Inserted

United States Department of the Interior, Stewart L. Udall, Secretary U. S. Fish and Wildlife Service, Clarence F. Pautzke, Commissioner

WOODCOCK STATUS REPORT - 1961

Compiled by

Fant W. Martin
Branch of Wildlife Research
Bureau of Sport Fisheries and Wildlife

U. S. Fish and Wildlife Service Special Scientific Report - Wildlife No. 58

Washington: June 1961



Blank Page Digitally Inserted

# CONTENTS

Abst	ract.		•		7.	•	•	•	•	•	•	•	٠	•		•	•	•	•	•	iv
Intr	oduction	on				•	•	•		•	•	•			•	•				•	1
1961	Covera	age		٠	•							٠,٠				•	•		•		2
Anal	ysis .	•				•			•		•		•					•		•	3
Li	mitatio	ns	0.	e t	he	ສນ	ır,	тез	7 n	net	hc	bd	•	•			•			•	3
Su	mmariza	ati	on	of	f	iel	.d	da	ita	a.					•		•	•	•	•	3
Ad	justmer	nt	fo:	r 1	.en	gtr	1 (	of	ro	ut	e		•	•	•	•		•		•	3
We	ighting	g f	ac	tor	's										•			•	•		4
Po	pulatio	n	in	de	ces		•	•		•	•	•		•		•			•		5
Resu	lts .		•	•		•											•	•	•		5
Ackn	owledge	eme	nt	s .			•				3.7			•			•	*			6

#### ABSTRACT

An index of the 1961 woodcock breeding population was obtained from a Singing Ground Survey conducted in 4 eastern Canadian Provinces and 19 eastern and central States. East of the Appalachians, 150 routes run in both 1960 and 1961 were available for comparison. West of this range, 73 comparable routes were covered.

The population index increased 10 per cent in the east and 8 per cent in the west. The overall increase in the two regions combined was 9 per cent.

The mean difference in birds per route (1961 minus 1960) was calculated for States with 10 or more comparable routes (Connecticut, Maine, Michigan, New Hampshire, New York and Pennsylvania). The mean and standard error of the mean indicated that for all States, except New York, chance could have been responsible for the observed differences. In view of the many variables affecting the Singing Ground Survey, it was considered doubtful that any important change occurred in the status of the woodcock breeding population between 1960 and 1961.

Factors affecting the reliability of the survey were discussed.

#### INTRODUCTION

The Singing Ground Survey is conducted each spring in States and Provinces where woodcock nest. The purpose of this survey is to obtain a measure of abundance, not to determine total population. The principle involved is to make observations as standardized as possible so that results obtained from all routes can be compared. Cooperators select the survey routes. Routes also are replaced from time to time.

Routes are run by car during the evening period of woodcock singing. Male woodcock begin singing about 10 to 30 minutes after sunset, depending on weather conditions. They perform on their singing grounds for about 35 minutes. Counts are begun when singing begins and are terminated before singing ceases. The length of routes varies with population densities. Routes may be longer than 4 miles in areas of low woodcock population. Other routes located in areas of high concentration may be much shorter in length. The number of stops (listening points) also varies, depending on length of the route and on habitat. Stops are a minimum of 0.4 mile apart, are for 2 minutes duration, and are made at the same place each year. The number of birds heard calling per route is the measure of abundance for that particular route.

The Singing Ground Survey plays an important role in evaluating the status of the woodcock. Although much of the breeding range is inadequately sampled at the present time, singing ground counts provide valuable information concerning the status of the woodcock at the beginning of the nesting season.

Prior to the 1959 hunting season, production data were available from only a very small part of the woodcock's range. Furthermore, little information is available on changes in population levels on the wintering ground. Even if adequate production and wintering ground data were available, the Singing Ground Survey would continue to be necessary to provide information on population status for régulatory purposes. For example, only the Singing Ground Survey could detect a serious reduction in the woodcock population as the result of snow, ice and

freezing temperatures occurring late in the winter or in the early spring. This situation happened in March 1960, when an extensive and prolonged period of snow and freezing temperatures struck the central and eastern States after many woodcock had departed from the wintering ground. Without the Singing Ground Survey, the Bureau would not have had reasonable evidence that woodcock survived the severe weather in March 1960 in sufficient numbers to justify as liberal a hunting season in 1960 as was allowed in 1959.

# 1961 COVERAGE

During March, April and May of 1961, cooperators in 4 eastern Canadian Provinces and 19 eastern and central States made singing ground counts on 304 routes. Most of the routes were covered on approximately the same dates as in 1960.

The analysis of population trends between 1960 and 1961 was made from data obtained from 223 routes run in both years. Tables 3 and 4, however, include all information from both years. The 223 comparable routes represent an increase of 17 over 1959-60. The number of comparable routes in the Eastern Region (east of the Appalachians) decreased from 166 in 1959-60 to 150 in 1960-61, although 18 new routes were established. Most of the new routes in the Eastern Region were in Nova Scotia. The number of comparable routes in the Western Region increased from 40 in 1959-60 to 73 in 1960-61. the increase occurred in Michigan, where the number of comparable routes more than doubled. Data from comparable routes also were available for Minnesota and Wisconsin, important woodcock-producing States from which information was lacking last year. Singing ground counts were initiated in the States of Illinois, Indiana and Iowa; 14 routes were run in those States in 1961. An additional 49 new routes were covered in other areas of the Western Region; most of them in Michigan, Minnesota and Wisconsin.

#### ANALYSIS

## Limitations of the Survey Method

Since survey routes are not selected at random they may not be typical of all woodcock habitat. The extent to which counts reflect population changes is not known. At present, we can only assume that drastic changes in the size of the breeding population will be detected.

It should be remembered that the Singing Ground Survey attempts to measure changes in the relative size of the breeding population, not annual production, which must be measured by other methods.

## Summarization of Field Data

This analysis is based on data from States and Provinces in which one or more comparable routes were run in 1960 and 1961. Several routes covered in 1961 were not included in the analysis, either because they were run during the unreliable period from 2 days before to 1 day after the full moon, or because stops were less than 0.4 mile apart. If a route was covered more than once, only the last trip was included in the computations. procedures were followed in order to make the survey results comparable with surveys in previous years. The reliability of the annual survey depends upon the comparability of the counts from each route, State by State, and region by region. Therefore, it is important that cooperators follow the survey instructions as closely as possible. A route should be run only once each year unless factors such as wind, temperature, traffic or other noise result in a non-representative count. If a route is covered more than once, the cooperator should clearly indicate the reason for the second trip.

# Adjustment for Length of Route

Survey data of previous years have been analyzed in two ways: the number of woodcock heard per stop, and the number of woodcock heard per route. Robbins has shown

(Woodcock Newsletters: No. 1, 1958, and No. 2, 1959) that both comparisons yield approximately the same results in terms of year-to-year changes in relative population levels. It is believed that the number of birds per route is more useful than the number per stop, however, because routes with the most stops apparently occur in areas of higher population. Thus, the data from a State or Province are weighted to some extent by the average number of birds per route.

Adjustments of the data were made for routes that did not have the same number of stops each year. Data for the year with the larger number of stops were reduced to make them comparable to those for the year with the smaller number of stops.

For example, 16 birds were reported in 1960 for 11 stops on Route 1 in Michigan and 14 birds were reported for 10 stops along the same route in 1961. For purposes of comparison the 16 birds in 1960 were reduced to 15 birds at 10 stops that year. In most instances, as shown in Table 1, the necessary adjustments were slight.

## Weighting Factors

Survey data must be weighted because the number of routes varies from area to area without relation to woodcock populations. Adequate figures on population density and suitable breeding habitat are lacking. As a substitute, the average number of woodcock per route was weighted according to the land area of the State or Province. The land areas used for weighting include the area of uncultivated land, adjusted in a few cases where large portions of a State or Province lay in ecological regions where there is no woodcock habitat. The area sizes are shown in Table 2. Further details are in the 1960 Woodcock Status Report (U.S. Fish and Wildlife Service, Special Scientific Report - Wildlife No. 50). It is realized that much unfavorable nesting habitat is included, and it is anticipated that future study will permit considerable refinement of the weighting procedure.

# Population Indexes

Relative population levels were computed as the percentage change (±) in 1961 from 1960. For an individual State or Province the extent and direction of this change is indicated by the difference in the average number of birds per route. Trends in population indexes on a regional basis are calculated by multiplying the average number of birds per route in each State or Province by the uncultivated land area in that State or Province.

### RESULTS

Table 1 shows the changes between 1960 and 1961 in total woodcock recorded on survey routes, adjusted only for varying numbers of stops along the same route in the two years. Population trends are shown in Table 2.

The population index increased 10 per cent in the Eastern Region between 1960 and 1961 and increased 8 per cent in the Western Region. The increase in the two regions combined was 9 per cent.

The mean difference in birds per route (1961 minus 1960) was calculated for the 6 States that had 10 or more comparable routes. The means and standard errors of the mean were: Connecticut  $0.1 \pm 0.4$ , Maine  $0.5 \pm 0.4$ , Michigan  $0.7 \pm 0.6$ , New Hampshire  $-\overline{0.3} \pm 0.7$ , New York  $1.2 \pm 0.4$ , Pennsylvania  $1.2 \pm 1.1$ . It is evident that except for New York, chance could have been responsible for the observed differences.

It is clear that refinement of the Singing Ground Survey is necessary. The survey method should be further standardized. All important parts of the breeding range should be adequately represented in the survey. One of the most critical needs is an evaluation of the extent to which changes in counts on selected routes reflect actual changes in the breeding population. It is hoped that studies designed to solve these pressing problems will be initiated in the near future.

## **ACKNOWLEDGEMENTS**

The annual Singing Ground Survey would not be possible without the cooperation of the Canadian Wildlife Service, the State Conservation Departments and the individuals on their staffs. The names of persons who made counts are given in Tables 3 and 4. Field data were compiled, in part, by personnel in both the Canadian Wildlife Service and Regions 3, 4 and 5 of the Bureau. The following State agencies participated in the 1961 survey:

Connecticut Board of Fisheries and Game Indiana Department of Conservation Illinois Department of Conservation Iowa Conservation Commission Kentucky Department of Fish and Wildlife Resources Maine Department of Inland Fisheries and Game, and Maine Cooperative Wildlife Research Unit Massachusetts Cooperative Wildlife Research Unit Michigan Department of Conservation Minnesota Department of Conservation New Hampshire Fish and Game Department New Jersey Department of Conservation and Economic Development North Carolina Wildlife Resources Commission Ohio Department of Natural Resources Pennsylvania Game Commission, and Pennsylvania Cooperative Wildlife Research Unit West Virginia Conservation Commission Wisconsin Conservation Department

Table 1.--Woodcock Recorded on Comparable Singing Ground Routes, 1960 and 1961

State or Province	Number of Comparable	Total Wo on Comparable	*	Adjusted Total Woodcock on Comparable Route			
FIOVINCE	Routes	1960	1961	1960	1961		
Connecticut	12	48	49	48	49		
Maine	40	393	412	390	411		
Maryland	3	5,6	3	6	3		
Massachusetts	7	60	66	60	54		
New Brunswick	7 9 13	85	87	85	<b>8</b> 7		
New Hampshire	13	71	67	71	67		
New Jersey	_3 3	9	13	9	13		
New York	3 24	159	184	149	177		
North Carolina	9	11	19	10	16		
Nova Scotia	5	29	23	23	23		
Pennsylvania	17	112	130	109	129		
Prince Edward Is.	3	20	22	17	20		
Vermont	5	39	37	34	36		
Regional Total Per cent change	150	1042 ( +6.7%	1112	1011 +7.3%	1085		
WESTERN REGION							
Kentucky	7	8	16	. 8	15		
Michigan	4i	387	422	374	405		
Minnesota	4	24	22	24	21		
Ohio		89	90	88	83		
Ontario	8	38	43	37	38		
West Virginia	7 8 5	15	17	15	17		
Wisconsin	<u> </u>	4	6	4	6_		
Regional Total Per cent change	73	565 +9.0%	616	550 +6.4%	585		
Continental Total Per cent change	223	1607 +7.6%	1728	1561 +7.0%	1670		

Table 2.--Trends in Woodcock Recorded on Singing Ground Routes, 1960 to 1961

State or	Uncult. Land	Number of Comparable	Nu	mber o: Route	Average f Birds & Indexed		Per Cent
Province	(sq.mi.)	Routes			Average		Chg.
Connecticut	4,180	12	4.0	17	4.1	17	+ 2
Maine	29,051	40	9.8	285	10.3	299	+ 5
Maryland	6,564	3	2.0	13	1.0	-33 7	-50
Massachusetts	7,006	7	8.6	60	7.7	54	-10
New Brunswick	26,099	ġ	9.4	245	9.7	253	
New Hampshire	8,420	13	5.5	46	5.2	44	+ 3
New Jersey	5,827	<u>3</u>	3.0	17	4,3	25	+43
New York	35,667	24	6.2	221	7.4	264	+19
North Carolina	38,075	9	1.1	42	i.8	69	+64
Nova Scotia	19,913	5	4.6	92	4.6	92	0
Pennsylvania	33,717	17	6.4	216	7.6	256	+19
Prince Edward Is		_; 3	5.7	8	6.7	10	+18
Vermont	7,619	5	6.8	52	7.2	55	+ 6
Regional Total	223,579	150		1,314		1,444	+10
				:		:	
LINGTON DEGICAL		·		٠.			
WESTERN REGION							
Kentucky	23,528	7	1.1	26	2.1	49	+91
Michigan	40,166	4i	9.1	366	9.8	394	+ 8
Minnesota 1/2	22,666	4	6.0	136	5.2	118	-13
Ohio	21,002	7	12.6	265	11.9	250	- 6
Ontario 1/3	111,405	Ė	4.6	512	4.8	535	+ 4
West Virginia	21,238	5	3.0	64	3.4	72	+13
Wisconsin	34,892	<u> </u>	4.0	140	6.0	209	+50
Regional Total	274,897	73		1,508		1,627	+ 8
MAD TANKE TARKE		12					

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts East of the Appalachians

				1960			1961	
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
CONN	ECTICUT						,	<b>F</b>
14	Hartford Co.		5	11	•45	5	10	.50
2	Barkhamsted # Hartford Co Barkhamsted #	A. Lamson	5	10	.50	5	10	•50
3		J. Bishop	3	6	.50	2	6	•33
1		M. Belden	5	8	.62	2	8	.25
5	Litchfield Co. Litchfield #1		4	7	-57	5	7	.71
15	••		4	6	.67	3	6	.50
17		M. Arnold	4	7	-57	5	7	.71
10		O. Beckley	3	6	.50	2	6	-33
9	New Haven Co. Guilford-No.	•	1	6	.17	1	6	.17
18	New Haven Co. Wallingford #	H. Bluege	7	6	1.17	8	6	1.33
16	New London Co. Montville					-3	6	.50
11		R. Billard	5	7	.71	8	7	1.14
12		R. Billard	2	7	.29	3	7	•43
19		R. Billard	3	7	.43			
Tota	1		48	87	•55	49	86	-57
MAIN	E						· .	
2	Aroostook Co. Ashland	H. Carson	9	11	.82	15	11	1.36
62	Aroostook Co. Haynesville R		13	8	1.62			•
7	Aroostook Co. Hodgdon		5	8	<b>.</b> 62	3	8	<b>.3</b> 8
, 6	Aroostook Co. Knowles Corne		7	8	.88			

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts
East of the Appalachians (Continued)

				1960			1961	
Rt.	County and locality Obs		Total birds		Mean birds per stop	Total birds	Total stops	Mean birds per stop
MAIN	E (continued)						,	
. 3	Aroostook Co. H. Oxbow	Carson	9	13	.69	15	13	1.15
154	Cumberland Co. F. Brunswick &	Whitman,Jr H.Tyler,J				12	11	1.09
74	Cumberland Co. E. Durham Rd. Rt. 1	Baker	8 .	10	.80	6	10	.60
151	Cumberland Co. C. Harpswell Neck		n 7	7	1.00	9	7	1.29
72	Cumberland Co. E. Hatch-Merrill Br		12	8	1.50	15	8	1.88
141	Franklin Co. R. New Sharon		7	9	.78	6	9	.67
10		Boettger	12	8	1.50	15	8	1.88
15		Peppard	20	10	2.00	23	10	2.30
11		Peppard	15	9	1.67	11	9	1.22
87	• •	DeGarmo	16	13	1.23	10	13	.77
20	_	DeGarmo	12	11	1,09	16	11	1.45
156	_	Baker				13	10	1.30*
19		DeGarmo	12	10	1.20	7	10	.70
85	<del>-</del>	Anderson	8	11	•73	7	11	.64
21	•	Anderson	14	10	1.40	13	10	,1.30
90	Lincoln Co. E. Dresden Mills	Baker	11	6	1.83	9	6	1.50
91		Marston	5	11	.45			
30	Penobscot Co. G. Chester (Rt.11)	Aiken	3	10	.30			
29		Aiken	1	8	.12			

<sup>\*</sup> new route run in 1961

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts East of the Appalachians (Continued)

			1960		1961				
Rt.	County and locality Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop		
MAIN	E (continued)								
24	Penobscot Co. R. Gibbs** Greenbush	17	10	1.70	17	10	1.70		
27	Penobscot Co. D. Holmes Kenduskeag	9	12	•75	13	12	1.08		
99	Penobscot Co. M. Smart No. Branford, Rte.#11	12	11	1.09	. 10	11	.91		
102	Penobscot Co. G. Aiken Winn, Lee Rd.	3	9	•33					
111	Piscataquis Co. M. Smart Abbot	. 9	10	.90					
108	Piscataquis Co. M. Smart Medford, Rt. 16	14	12	1.17	12	12	1.00		
155	Piscataquis Co. D. Holmes Sangerville	5	. 8	.62					
35	Piscataquis Co. I. Sargent T4 R.10	9	5	1.80	9	5	1.80		
36	Piscataquis Co. F. Darling Trout Brook		9	.67	5	6	.83		
37	Sagadahoc Co. C. Tuttle Bowdoinham (Ridge Rd.)	8	7	1.14	9	7	1.29		
115	Sagadahoc Co. K. Anderson Georgetown Line	. 9	10	.90	6	10	.60		
138	Sagadahoc Co. E. Baker Route #138	13	12	1.08	12	12	1.00		
149	Somerset Co. R. Boettger E.New Portland	8	9	.89	12	9	1.33		
120	Somerset-Penob. D. Holmes Detroit-Plymouth	8	9,	.89	10	· <b>6</b>	1.11		
44	Waldo Co. D. Holmes Sandy Point	10	9 14	1.11	10 12	.9 14	.86		
122	Waldo Co. D. Holmes Winterport	13	6	.93		6	1.83		
51	Washington Co. J. Dudley Alexander (Lake Rd.)	10		1.67	11	6			
45	Washington Co. H. Stanhope Calais		6	.67	5		.83		
46	Washington Co. H. Mendall Charlotte #1	15	7	2.14	17 14	7 8	2.43		
47	Washington Co. H. Mendall Charlotte #2	13	8	1.62		8	1.75		
123	Washington Co. H. Mendall Charlotte Sta. Rd.	10	8	1.25	11	O	1.38		

<sup>\*\* 1961</sup> observer; see last year's report for 1960 observer

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts
East of the Appalachians (Continued)

				1960	•		1961	
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
MAIN	E (continued)							
52	Washington Co Edmunds #1	. L. Bagley	6	6	1.00	4	6	.67
156	Washington Co	. A. Davis	2	6	•33			
54	Washington Co Edmunds #3	. L. Bagley	7	8	.88	9	8	1.12
127	Washington Co Jacksonville		12	9	1.33			
152	Washington Co Meddybemps	. H. Mendall	7	. 7	1.00	10	7	1.43
53	Washington Co North Trail	(lst half)	5	7	.71	5	6	.83
53A	Washington Co North Trail		1	4	.25	3	5	.60
129	Washington Co. Marion, Rt.		16	10	1.60		-	
59	York Co. Lyman	D. Stanton	5	10	.50	10	10	1.00
136	York Co. Maplewood	D. Stanton	5	8	.62	6	8	•75
Tota.	1		393	359	1.09	412	356	1.16
MARY	LAND						3	
4	Anne Arundel ( Brock Br. Rd		2	7	.29	2	7	.29
1	Pr. Geo. Co. Ft. Meade Gat	C. Kaczynski	2	10	.20	1	9	.11
2	Pr. Geo. Co. Muirkirk Rd.		2	6	•33	0	9	.00
Tota.	1	v ,	6	23	.26	3	25	.12
MASS	ACHUSETTS							
7	Barnstable Co. Marston Mills		ek 13	11	1.18	12	11	1.09
8	Berkshire Co. Williamstown	F.Richardson	7	7	1.00	7	7	1.00
4	Franklin Co. Leverett	E. Howard,Jı	r. 6	8	•75	7	9	.78

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts East of the Appalachians (Continued)

			1960			1961			
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop	
MASS	ACHUSETTS (con	tinued)							
6	Franklin Co. Shutesbury	G. Hobart	9	9	1.00	9	9	1.00	
9	Plymouth Co. Halifax & Ply		. 7	11	.64	2	13	.15	
2	Worcester Co. Gate 40 - Que		7	10	.70	8	16	.50	
3	Worcester Co. MDC, Quabbin		11	11	1.00	21	18	1.17	
Tota	.1		60	67	.90	66	83	.80	
NEW	BRUNSWICK								
6	Albert Co. Turtle Creek	C. Bartlett	17	11	1.55			•	
14	Charlotte Co. Lawrence Sta		11	10	1.10	16	10	1.60	
12	Charlotte Co. Rolling Dam		<b>½</b> 10	8	1.25	8	. 8	1.00	
15	Charlotte Co. South Branch	B. Wright		***		22	13	1.69*	
2	Westmorland Co	c. C.Bartlett	6	8	•75	8	8	1.00	
13	Westmorland Co		t 9	11	.82	8	11	•73	
1	Westmorland Co	C.Bartlett	t <del>**</del> 5	8	.62	3	8	.38	
10	York Co. Charters' Set	B. Wright	11	10	1.10	6	10	.60	
9	York Co. Kingsley Brid	N. Brown**	8	10	.80	12	10	1.20	
11	York Co. Mazerol Settl	D. Inch**	14	10	1.40	8	10	.80	
8	York Co. Richibucto Ro	B. Wright	11	10	1.10	1.8	10	1.80	
Tota	1		85	85	1.00	87	85	1.02	

<sup>\*</sup> new route run in 1961

<sup>\*\* 1961</sup> observer; see last year's report for 1960 observer

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts
East of the Appalachians (Continued)

				1960			1961	
Rt.	County and locality	)bserver	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
NEW	HAMPSHIRE							
. 1	Coos. Co. C	C. Carlson	10	11	.91	10	11	.91
10	Merrimack Co. I Hopkinton-Webs		0	10	•00	5	9	.56
2	Merrimack Co. S No. Pembroke		3	7	.43	3	8	.38
3	Merrimack Co. S Pembroke Hill	. Dole, Jr.	2	6	•33	1	6	.17
17			6	6	1.00	6	6	1.00
11	Merrimack Co. H Pembroke	.Lacaillade				2	4	•50 <del>*</del>
6	Merrimack Co. F Webster	. Fogg	5	11	.45	5	n	.45
13	Rockingham Co. Mill Pond Rd.	H. Brown	5	11	.45	4	'n	.36
18	Rockingham Co. Bay Rd.	H. Brown	8	7	1.14	3	8	.38
7	Rockingham Co. Durham Point R		11	7	1.57	10	7	1.43
15	Strafford Co. Mt. Misery Rd.	H. Brown	6	9	.67	3	9	•33
8	Strafford Co. Rochester Rd.	H. Brown	5	8	.62	3	8	.38
16	Strafford Co. Ten Rod Rd.	H. Brown	6	9	.67	9	9	1.00
9	Strafford Co. Tolend Rd.	H. Brown	4	9	.44	5	9	.56
Tota	1		71	111	.64	67	112	,60
NEW	JERSEY							
2	Atlantic Co. F	. Ferrigno	5	. 9	.56	6	9	.67
4	Cumberland Co. Haleyville P.S		3	10	.30	4	10	.40
3	•	. Spinks	1	7	.14	3	8	.38
Tota	1		9	26	•35	13	27	.48

<sup>\*</sup> new route run in 1961

<sup>\*\* 1961</sup> observer; see last year's report for 1960 observer

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts East of the Appalachians (Continued)

				1960		1961				
Rt.	County and locality		Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop		
NEW	YORK									
2	Albany Co. Dunbar Hollow	D.Schierbaum*	<del>*</del> 5	9	.56	10	12	.83		
1		D.Schierbaum*	* 2	7	.29	5	6	.83		
5		L. Cooper	3	9	•33	5	5	1.00		
33		. W. Shirey	12	13	.92					
34	Cattaraugus Co Wayman Branch		5	12	.42					
26	Chautauqua Co. Ashville		+ 14	14	.29	5	10	.50		
35	Chautauqua-Cat Dredge Ditch			12	.42	5	9	<b>.</b> 56		
27	Chautauqua Co. Gerry	G. Noble	4	9	.44	5	9	.56		
7	Chenango Co. Pharsalia	P. Kelsey	3	9	•33	6	9	.67		
36	Duchess Co. Shenandoah	M. Rodak	7	9	.78	8	9	.89		
8	Essex Co. Putnam Creek	G. Davis	16	12	1.33	14	11	1.27		
9	Essex Co. Wilmington	J. Hart**	12	. 12	1,00	12	11	1.09		
10	Franklin Co. Lyon Brook	J. Hart**	26	11	2.36	17	9	1.89		
11	Hamilton Co. Indian Lake (	W. Sabin** Cedar R.)	11	7	1.57	14	10	1.40		
14	Jefferson Co. Ives St. Rd.		5	4	1.25	4	7+	1.00		
24	Jefferson Co. Rodman	S. Northrop	5	4	1.25	8	<u>.</u>	2.00		
37		H. Weiskotter	10	9	1.11					
12	Onondaga Co. Baldwinsville		+ <b>*</b> 16	10	1.60	14	10	1.40		
15		J.Renkavinsky	r 4	10	.40					
40	Rensselaer Co. Cherry Plain	W.Hammersmit	h		4 =	9	12	•75 <b>*</b>		
	owerly remain									

<sup>\*</sup> new route run in 1961

<sup>\*\* 1961</sup> observer; see last year's report for 1960 observer

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts
East of the Appalachians (Continued)

			1960			1961	
Rt.	County and locality Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
NEW	YORK (continued)						
16	Saratoga Co. C. McNulty** Reynold's Corner	2	8	.25	5	6	.83
38	Steuben Co. F. Slater Demons Pond	6	6	1.00			
41	Suffolk Co. E. Mudge Fort Salonga				5	7	.71*
39	Suffolk Co. G. Raynor Manorville	3	10	•30			
32	Suffolk Co. K. Liehr Southampton	13	10	1.30	10	10	1.00
28	Tompkins Co. R. Cameron Conn. Hill #1	1	11	.09	3	10	•30
29	Tompkins Co. R. Cameron	0	7	.00	4	7	•57
30	Conn. Hill #2 Tompkins Co. R. Cameron Conn. Hill #3	0	10	.00	1	9	.11
31	Tompkins Co. R. Cameron	0	7	.00	3	7	.43
18	Conn. Hill #4 Tompkins Co. P. Kelsey**	4	9	,44	6	10	.60
22	Dryden Washington Co. C. McNulty**	1 2	8	.25	5	8	.62
42	Adamsville Wayne Co. R. Cottrell			-	9	6	1.50*
43	Huckleberry Swamp Wayne Co. R. Cottrell				6	6	1.00*
25	North Wolcott Wayne Co. R. Cottrell Wayne Center	13	6	2.17	15	6	2.50
Tota	1	<b>15</b> 9	214	.74	184	201	.92
NORT	H CAROLINA	·					
13	Beaufort Co. A.Noltemeier	4	8	.50	2	8	.25
2	Market St. & R. Halstea Burke Co. J. Collins**	ld 1	6	.17	1	6	.17
3	Glen Alpine Burke Co. J. Collins** Southern R.R.E.	1	10	.10	1	10	.10

<sup>\*</sup> new route run in 1961

<sup>\*\* 1961</sup> observer; see last year's report for 1960 observer

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts East of the Appalachians (Continued)

			. 1960			1961			
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop	
NORT	H CAROLINA (CO	ntinued)							
1	Chatham Co. New Hope Farm	G. Barnes**	<sup>*</sup> 4	9	.44	3	7	.43	
14		G. Ross	. 0	9	.00	. 0	9	.00	
15	Caswell Co. Hico Cr. So.	G. Barnes	0	4	.00	0	4	.00	
12	Columbus Co. Boardman	A. Weber**		* 40 45		2	9	.22	
18	Davidson Co. Old Tuckerto	_		<b>**</b> =		. 1	9	.11*	
5	Henderson Co.		<u>ן</u>	. 9	.11	. 5	13	38	
6 <b>A</b>	Henderson Co. Blue Ridge	R. Bird	0	10	.00	3	15	.20	
11	Ienoir Co. Bear Creek	R. Bell	0	11	.00		-==		
19	Pitt Co. Highway 11	S. Poole				0	4	*00*	
16	Robeson Co. Bladensboro	A. Weber**	0	20	•00	4	11	.36	
17	Rowan Co. Hwy. 29Pee	D. Taylor Dee River	0	10	.00				
Tota			11	85	.13	19	83	.23	
NOVA 5	SCOTIA Annapolis Co. Beaconsfield		3	10	.30				
6	Annapolis Co.		3	7	.43				
8	Annapolis Co. Douglas Rd.	M. Bent	5	9	.56				
20	Antigonish Co Pomquet	. A. Erskine	:			5	10	.50	
10	Cumberland Co	. C. Banks	11	8	1.38				
9	Cumberland Co Boar's Back	-	14	14	1.00	14	11	1.27	
21	Cumberland Co Boar's Back	. D. Lawson				9	11	.82*	
22		. H. Hatfiel	d			8	10	•80 <del>×</del>	

<sup>\*</sup> new route run in 1961 \*\* 1961 observer; see last year's report for 1960 observer

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts
East of the Appalachians (Continued)

			•	1960			1961	
Rt.	County and locality	Observ <b>e</b> r	Total birds		Mean birds per stop	Total birds	Total	Mean birds per stop
NOVA	SCOTIA (conti	nued)						
11	Digby Co. Gilberts' Co		4	10	.40			·
12		L. MacPhers	on 2	5	.40			••
13	-	W. Mills	2	8	.25	-		
14		E. MacQuarr	ie 8	7	1.14			
23	Inverness Co. River Denys		•-			4	8	•50 <del>*</del>
7	Kings Co. Davison	R. Tufts	6	9	.67	1	8	.12
2	Kings Co. Greenfield	R. Tufts	3	8	.38	0	.8	.00
24	Kings Co. Kentville (A	H. Thurber ldershot)				5	12	.42*
15	Kings Co. Lake George	The second secon	rand 5	14	.36	6	9	.67
3	Kings Co. Melanson Mt.		ı	7	.14	2	7	.29
25	Kings Co. Lake Aylesfo	D. Dodds rd-L. George				5	8	.62 <b>*</b>
26		D. Dodds				4	12	•33
27		N. van Nost	rand			5	14	•36 <del>*</del>
28	Victoria Co. Baddeck Rive					3	7	.43*
16	Yarmouth Co. Leighton St.		3	9	•33			
17	Yarmouth Co. Plymouth-Wed		2	6	•33			
Tota	1		29	52	<b>.</b> 56	23	43	-54
PENN	SYLVANIA	•						
3	Blair Co. Bald Eagle	H. Henry	11	10	1.10	20	10	2.00
ı	Centre Co. Barrens	R. Wingard	14	11	1.27			

<sup>\*</sup> new route run in 1961

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts East of the Appalachians (Continued)

				1960			1961			
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop		
PENN	SYLVANIA (cont	inued)								
6	Centre Co.	S. Liscinsky	**			2	8	.25		
5	Julian Centre Co. Martha Furna	S. Liscinsky	14	9	1,56	7	9	.78		
4	Centre Co. Port Matilda	S. Liscinsky	**			13	10	1.30		
7	Centre Co. Unionville	M. Runner	3	8	.38					
22	Crawford Co.	H. Pratt	14	6	.67	2	6	•33		
46	Crawford Co.	P. Miller		<b></b>		3	8	•38 <del>*</del>		
29	Erie Co. Albion	W. Jones	3	10	.30	4	8	•50		
14	Huntingdon Co Neff Mills	. R. Melton	1	8	.12	1	8	.12		
2	Huntingdon Co Stone Valley		urp 9	12	•75	6	12	.50		
38	Indiana Co. Aultman Run	K. Gardner	3	12	.25	13	13	1.00		
39	Indiana Co. Clarksburg	K. Gardner	4	9	.44	6	9	.67		
19	Indiana Co. Penn Run	K. Gardner	9	7	1.29	14	7	2.00		
9	Juniata Co.	W. Taylor	4	4	1.00	2	14	.50		
20	Lackawanna Co Thornhurst	. S. Kish	9	12	.75	13	12	1.08		
1414	Luzerne Co. Drums	S. Laputka	8	10	.80	. 7	10	.70		
21	Luzerne Co. Freeland	S. Laputka	.6	8	•75	5	8	.62		
45		G. Lesho	4	8	.50		-			
32	Mercer Co.	D. Carbone	7	9	.78	6	9	.67		
8	Sharpsville Mifflin Co. Atkinson Mil	J. Taylor	8	8	1.00	7	8	.88		
15	Pike Co. Blooming Gro	A. Kriefski	9	9	1.00	14	7	2.00		

<sup>\*</sup> new route run in 1961

<sup>\*\* 1961</sup> observer; see last year's report for 1960 observer

Table 3.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts East of the Appalachians (Continued)

				1960	•		_1961	
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
PENN	SYLVANIA (con	tinued)				•		
13	Westmoreland Ardara	Co. J. Liss	3 .	5	.60	3	5	.60
Tota	1		112	148	.76	130	145	.90
PRIN	ICE EDWARD ISLA	AND						
6	Kings Co. Fortune	Cst. H.Burns*	<del>*</del> 6	7	.86			
5	Kings Co. Martinvale	Csts.H.Burns R. Corrigan	5	7	.43	8	9	.89
4	Princes Co.	Cst. J.Potts*		10	1.10	8	8	1.00
7	Queens Co. Avondale	Cst.R.Corriga	n 2	7	.29			
8	Queens Co. Point DeRoch	Cst. V. Autio	** 6	11	•55	6	9	.67
Tota	ı		20	28	.71	22	26	.85

y\*\* 1961 observer; see last year's report for 1960 observer

٠.				1960		1961		
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
VERM	ONT							
19	Chittenden Co Pleasant Val	_	4	11	.36	6	10	.60
22	Chittenden Co Westford	D. Dupee	12	11	1.09	15	12	1.25
20	Franklin Co. Highgate	A. Vanslette	e 6	7	.86	6	5	.1.20
7	Franklin Co. Swanton #1,	E. Chandler Maquam Rd.	5	10	.50	7	9	.78
14		E. Chandler	* 12	8	1.50	3	7	.43
Tota	1		39	47	.83	37	43	.86

Table 4.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts West of the Appalachians

				1960			1961		
Rt.	County and locality	Ob	server	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
III	INOIS								
1	Adams Co. Melrose #4	L.	Mehrhoff				1	10	.10*
2	LaSalle Co. Deer Park	М.	Wilson				2	9.	.22*
3	Mason Co. Havana	ĸ.	Norman				0	11	.00*
Tot	al								
IND	TANA								
1	Daviess Co. Harrison #1	R.	Hamilton				3	8	.38*
2	Kosciusko Co. Turkey Creek		McCall	<b>*-</b>			• 1	8	.12*
3	LaGrange Co. Lima #1		Martin				11	6	1.83*
4	LaGrange Co. Springfield #		Martin				11	6	1.83*
5	Newton Co. Beaver-McClel	W.	Madden				1	9	.11*
6.	Newton Co. Willow Slough	W.	Madden	~-			Ο,	9	•00 <del>*</del>
7	Pukaski Co. Franklin #1		Anderson				11	11	1.00*
Tota	al								
* IOW	<u>A</u>								
1	Allamakee Co.		Klonglan	***			6	12	•50 <b>*</b>
2	Luster Height Allamakee Co.		Klonglan				· ı	13	.o8 <b>*</b>
3.	Paint Creek Allamakee Co.	G.	Klonglan	,			2	10	.20 <b>*</b>
4	Upper Iowa Clayton Co. Magill Creek	G.	Klonglan				1	11	•09*
Tota	al					***	40	. = =	

<sup>\*</sup> new route run in 1961

Table 4.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts West of the Appalachians (Continued)

			1960			1961		
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
KEN	TUCKY							
17	Anderson Co. Van Buren Rd.	R. Eversole	2	10	.20	1.	10	.10
7	Bullitt Co. Bardstown Jct	R. Eversole	. 0	10	.00	. 0	10	.00
18	Casey Co. S. of Danville	J. Storner	0	11	.00	. 2	16	.12
4	Christian Co. Bennettstown	C. Kays	0	9	.00	0	9	•00
2	Edmonson Co. Sloans Crossin	D. Russell	0	8	.00			
5	Hardin Co. Ord. Comp. Ga	J. Bruna	Ó	11	.00		;	
21	Henderson Co. Geneva					0	9	•00*
14	Iaurel Co. Hwy. #30	O. Bryant	4	10	.40	6	10	.60
19	Laurel Co. E. of E. Bern	H. Stephens	6	8	•75			
22	McCracken Co. Olivet Church	W. Lee				. 0	9	*00
15	McCreary Co. Creekmore	C. Stephens	2	10	.20	0	10	.00
20	Taylor Co. Robinson Cr. 1	E. Bertram Rd.	0	11	•00	7	·11	.64
Tota	al		8	71	.11	16	76	.21
MICH	HIGAN							
1	Alger Co. Stutts Creek	L. Verme	16	11	1.45	14	10	1.40
78A	Alpena Co. Alpena-No. We	T. Fairbanks	8	13	.62	8	13	.62
79	Antrim Alba	J. Winship	11	11	1.00	16	10	1.60
LO <b>O</b>	Antrim Co. North Jordan	J. Winship				19	9	2.11*
37	Baraga Co. L'Anse, Silve	R. Rafferty	7	8	.88	8	8	1.00

<sup>\*</sup> new route run in 1961

Table 4.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts West of the Appalachians (Continued)

	·			1960			1961	
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
MICH	IGAN (continued	1)						
38	Baraga Co.	J. Pann	9	11	.82	8	10	.80
80	Clear Creek Barry Co. #1	C. Storkan	7	10	.70	7	11	.64
101	Barry Co. #2	C. Storkan				15	12	1.25*
102	Benzie Co.	W. Goudy e River	•			14	7	2.00*
103	Cheboygan Co. Andy Grant Ro	J. Winship				31	11	2.82*
81	Cheboygan Co. Indian River	J. Winship	9	9	1.00	8	8	1.00
82	Cheboygan Co. Indian River	J. Winship	13	9	1.44	7	6	1.17
83	Cheboygan Co. Tin Bridge	J. Winship	21	8	2.62	28	9	3.11
9	Clinton & Shi		4 -	8	•50	5	. 8	.62
6	Rose Lake Chippewa Co.	L. Ryel R. Strong	13	10	1.30	15	10	1.50
84	Drummond Is. Chippewa Co.	B. McLeod	14	9	.44	7	9	.78
85	Chippewa Co.	P. Drake	. 3	3	1.00	3	3	1.00
86	#2 Chippewa Co. Dunbar	R. Strong	.10	10	1.00	9	10	.90
76	Dickinson Co. Channing	I. Thomson		<b>+-</b>		18	11	1.64
87	Dickinson Co. Floodwood Rd		* 11	7	1.57	5	9	<b>.</b> 56
104	Dickinson Co. Floodwood Pl	D. Wenzel				4	10	.40*
105	Emmett Co. Douglas Lake	J. Winship				17	8	2.12*
106	Emmett Co.	J. Winship	·			26	8	3.25*
88	E. Br., Mapl Gratiot Co. Gratiot-Sagi	W. Palmer	26	10	2.60	13	10	1.30
89	Gratiot-Sagi Gratiot Co. Gratiot-Sagi	W. Palmer	15	12	1.25	16	12	1.33

<sup>\*</sup> new route run in 1961 \*\* 1961 observer; see last year's report for 1960 observer

Table 4.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts West of the Appalachians (Continued)

				1960			1961.		
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop	
MICH	IGAN (continue	d)							
		A. Boyce	17	10	1.70	13	10	1.30	
13	Gladwin Co. Cedar River	A. Boyce			·	_			
63	Gladwin Co. Gladwin #2	A. Boyce	14	10	1.40	14	10	1.40	
15	Houghton Co. Hopes Creek	R. Rafferty	8	7	1.14	9	7	1.29	
90	Huron Co. Swamp Route	C. Braden	8	5	1.60	13	8	1.62	
18	Ingham Co. Dansville Ga	D. Douglass	2	10	.20	9	10	.90	
19	Iron Co.  Iake Ellen	I. Thomson	10	. 10	1.00	13	10	1.30	
107		R. Van Deuser & T. Smith	n			3	10	<b>.</b> 30*	
108		R. Van Deuse				5	10	.50*	
91	Kalamazoo Co. Hampton Lake	C. Cook	8	11	•73	11	11	1.00	
24	Lake Co.	P. Baumgrass	9	8	1.12	8	8	1.00	
109	Iapeer Co. Deerfield-N.	C. Douville				11	11	1,00*	
26	Luce Co.  McPhee's Ldg	O. DeWaard	12	8	1.50	13	9	1.44	
66	Luce Co.  Natalie #2	0. DeWaard	. 6	7	.86	12	8	1.50	
77	Manistee Co.	W. Goudy**	15	6	2.50	16	9	1.78	
67	Thompsonvill Mason Co.	T. Mackin	11	13	.85	10	11	.91	
92	Mason Co. 1 Midland Co.	E. Kenaga	2	16	.12				
78E	Midland Twp.  Montmorency	T. Fairbanks	9	,11	.82	1.0	10	1.00	
30	Donnelly Tru	J. Cook	10	9	.82	12	10	1.20	
93	Greenwood Ro		3	5	.60	4	6	,67	
94	Matchwood Ontonagon Co.	. G. Irvine	12	10	1.20				
-	Ontonagon 1				•				

<sup>\*</sup> new route run in 1961

<sup>\*\* 1961</sup> observer; see last year's report for 1960 observer

Table 4.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts West of the Appalachians (Continued)

				1960		1961			
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop	
MICH	IIGAN (continued	i)							
95	Ontonagon Co. Ontonagon #2	Mrs.R.Lahde	6	6	1.00	5	6	.83	
96	Osceola Co.	E. Mikula	9	9	1.00	14	9	1.56	
97	Osceola Co. Doc & Tom Cre	E. Mikula eek	16	15	1.07	24	15	1.60	
32	Otsego Co. Ford No. 1	0. Failing	9	11	.82	7	8	.88	
73	Otsego Co. Manistee	R. Rasmussen	7	11	.64	10	11	.91	
98	Otsego Co. Deer Camp Tra	H. Townsend	4 .	7	•57	3	7	.43	
34	Roscommon Co. T22N-R4W	R. Moran	1	12	.08	3	12	.25	
35	Roscommon Co. Rt. 2 (Michel		2	11	.18	4	11	.36	
110	Schoolcraft Old Seney Ros					3	6	<b>∙</b> 50*	
111	Tuscola Co. Tuscola Game	H. Tubbs Area (Apache)	)			2	9	.22*	
112	Tuscola Co. Tuscola Game	H. Tubbs Area (Wells)				ľ	10	.10 <del>*</del>	
113	Van Buren Co. Whiskey Run	•			<b></b>	7	11	.64*	
99	Van Buren Co. Wolf L. Run	Dr. Freyburge & Mrs.D.Besh		10	.40	8	10	.80	
Tota	1		387	381	1.02	422	382	1.10	
MINN	ESOTA								
22	Beltrami Co. Hines-Forest	L. Johnson				1	7	.14*	
23	Beltrami Co. Medicine Cut	L. Johnson				4	10	.40 <del>*</del>	
11	Carlton Co. Exp. Forest	E. Cramer & D. Sall**	11	10	1.10	8	10	.80	
17	Carlton Co. Rifle Range	L. Angell	7	8	.88	6	. 8	•75	
24	Chisago Co. Lent Twp.Rd.	B.Fashingbaue & L.Blankens				2	8	.25	

<sup>\*</sup> new route run in 1961

<sup>\*\* 1961</sup> observer; see last year's report for 1960 observer

Table 4.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts West of the Appalachians (Continued)

				1960			1961	
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
MINN	VESOTA (continu	ed)						
2	Cook Co. Bally Creek	W. Rohl, Jr.	4	9	-44			
25	Itasca Co.	L.Blankenshij er & W.Petrab				7	7	1.00*
26	Koochiching C N.Bustie Rd.	o. L.				3	6	•50 <del>*</del>
27	Lake Co. County Rd. N	L. Downey				7	9	.78*
8	Lake Co. Fernberg	W. Rohl, Jr.	0	8	.00	**		
28	Mille Lacs Co Headquarters				-	6	8	•75*
29	Mille Lacs Co. Quarry-Ranch		***			7	7	1.00*
30	Morrison Co. Camp Ripley	J. Idstrom & B. Fashingbe		-		5	7,	.71*
18	Pine Co. St. Croix Ri	B. Ellig ver	2	7	.29	4	10	.40
19	Pine Co. Snake River	B. Ellig	4	9	.44	4	8	.50
20	Pine Co. Rock Creek	B. Ellig	0	. 9	.00	-		
31	Winona Co. Whitewater #					0	9	.00*
Tota	.1		24	34	.71	22	36	.61
OHIO								
4	Ashtabula Co. Andover	M. Gilfillan	9	9	1.00	12	9	1.33
5	_	M. Gilfillan	17	11	1.55	23	11	2.09
1		M. Gilfillan	13	12	1.08			
2		M. Gilfillan	6	5	1.20		,	
3	Ashtabula Co. Morgan	M. Gilfillan	5	6	.83			
19	Delaware Co. Delaware Dam		* 9	9	1.00	8	10	.80

<sup>\*</sup> new route run in 1961

<sup>\*\* 1961</sup> observer; see last year's report for 1960 observer

Table 4.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts
West of the Appalachians (Continued)

		_		1960			1961	
Rt.	County and locality Observe		otal irds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
OHIO	(continued)							
25	Delaware Co. R.Marti Delaware Dam #2	nson				9	9	1.00*
17	Erie Co. D. Hane Resthaven	У	19	11	1.72	14	14	1.00
21	Erie Co. D. Hane Margaretta #1 TWSP	У	21	11	1.91	15	13	1.15
22	Erie Co. D. Hane Margaretta #2	У	12	12	1.00	16	13	1.23
9	Fulton & Lucas E. Bo Maumee Forest	sak				7	12	·58*
6	Portage Co. R. Dext Ferguson Rd. J. Lo		. 2	9	.22	2	6	•33
26	Vinton Co. R. Schu Zaleski #278					2	8	.25*
Tota.	1.		89	72	1.24	90	76	1.18
ONTA	RIO							
4	Carleton Co. V. Solm	an	3	6	.50	5	5	1.00
5	Carleton Co. V. Solm	an	4	5	.80	4	6	.67
13	Carleton Co. V. Solm	an	4	12	•33	2	13	.15
12		ıltz	7	10	.70	11	12	.92
9	Frontenac Co. Mrs. H.	lliam	0	7	.00	5	7	.71
10	Frontenac Co. A. Bell Perth Rd.		1	5	.20	3	6	.50
14	Frontenac Co. A. Bell Sharpton	L				. 5	10	.50 <del>*</del>
7	Frontenac Co. W. Lamb Westbrook	<del>**</del>	9	8	1.12	7	9	<b>.</b> 78
3	Russell Co. F. Schu Vars	ıltz	10	8	1.25	. 6	8	.75
Tota.		-	38	61	.62	43	. 66	.65

<sup>\*</sup> new route run in 1961

<sup>\*\* 1901</sup> observer; see last year's report for 1960 observer

Table 4.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts West of the Appalachians (Continued)

			1960			1961			
Rt.	County and locality	Observer	Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop	
WEST	VIRGINIA								
14	Barbour Co. Pleasant Cre	W. Lesser				1	7	.14*	
. 2	Grant Co.	T. Sanford	2	13	.15	2	13	.15	
17	Bayard to He Mason Co. McClintic W.	J. Donnelly				.9	13	.69*	
8		R. Hill	4	8	.50		•		
3	_	. R. Bailey	3	6	.50	3	6	•50	
9	Preston Co. Cranesville	W. Lesser	0	5	.00	0	5	.00	
13	Preston Co. Decker's Cre	W. Lesser				4	4	1.00*	
10	Preston Co. Lake O'Woods	R. Bailey	2	6	-33	1	6	.17	
1	Randolph Co. Kumbrabow Fo	J. Chadwick	8	7	1.14	11	7	1.57	
15						7	16	.44*	
16						7	7	1.00*	
7	Tucker Co. State Route	W. Dean	16 ——	12	1.33				
Tota	1		15	37	.41	17	37	.46	
WISC	ONSIN								
8	Adams Co. Leola	F.Hamerstrom	ı,			8	8	1.00*	
9	Clark Co. Hewitt	L. Reynoldso	on		,	1	9	.11*	
10	Forest Co. Argonne	H. Duncan				1	10	.10*	
11	Juneau Co. Grand Dike	C. Pospichal		\ <b>-</b>		2	10	.20 <del>*</del>	
6	Juneau Co. Necedah	J. Clawson	0	13	.00				
12	Juneau Co. Yellow River	C. Pospichal				2	9	.22*	
2	Lincoln Co. Harding	E. Morrison	***			13	10	1.30	
	Her arns								

<sup>\*</sup> new route run in 1961

Table 4.--Comparison of 1960 and 1961 Woodcock Singing Ground Counts West of the Appalachians (Continued)

		Observer		1960			1961		
Rt.	County and locality			Total birds	Total stops	Mean birds per stop	Total birds	Total stops	Mean birds per stop
WISCONSIN (continued)									
13	Marathon Co. Sethos Taver		Corbin				5	8	.62*
14	Oneida Co. Lynne		Duncan				3	10	.30 <del>*</del>
15	Portage Co. Hull	Α.	Epple				6	. 6	1.00*
5	Price Co. Flambeau TWS	P	Wiita	4	11	.36	6	11	• 54
16	Rusk Co. Big Bend	L.	Reynoldson				5	8	.62*
17	Taylor Co. Pershing	L.	Reynoldson			. ••	3	10	.30*
18	Waupaca Co.	٧.	Conover				1	9	.11*
19	Waushara Co. Dakota	٧.	Conover		•• ••		. 2	9	.22*
20	Wood Co. Remington	G.	Clawson				0	10	<b>*</b> 00*
21	Wood Co. Sandhill Gam		Berger & arm A. Ham	 merstro	 om	-7	.0	0	.00*
Tota	1			4	11	.36	6	11	-55

<sup>\*</sup> new route run in 1961